



Three dimensional remeshed smoothed particle hydrodynamics for the simulation of turbulent flow in complex geometries

Obeidat, Anas; Walther, Jens Honore

Publication date:
2012

Document Version
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):
Obeidat, A., & Walther, J. H. (2012). *Three dimensional remeshed smoothed particle hydrodynamics for the simulation of turbulent flow in complex geometries*. Abstract from IUTAM Symposium on Particle Methods in Fluid Mechanics, Kgs.Lyngby, Denmark.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Three dimensional remeshed smoothed particle hydrodynamics for the simulation of turbulent flow in complex geometries

A. Obeidat[†], J. H. Walther^{†*}

[†]Department of Mechanical Engineering, Technical University of Denmark
DK-2800 Kgs. Lyngby, Denmark
anob@mek.dtu.dk

*Chair of Computational Science, ETH Zürich, CH-8092 Zürich, Switzerland
jhw@mek.dtu.dk

Keywords: remesh smoothed particle hydrodynamics, turbulent flow, Brinkman penalization, three dimensional isotropic decaying turbulence.

ABSTRACT

The current work is devoted to numerical modeling of the in-cylinder confined turbulent swirling flow in a simplified model of a large two-stroke marine diesel engine Fig. 1a. The compressible flow is governed by Navier-Stokes equations, and we model turbulence using large eddy simulations [1]. We use the remesh smoothed particle hydrodynamics (rSPH) method [2], where the particles locations are periodically reinitialized (remeshed) onto uniform grid, in which the conserved quantities are redistributed onto a new set of particles. The quantities are interpolated by the 3rd order M'_4 kernel [7]; as result the accuracy of the original formulation is significantly enhanced, as we overcome the particle distortion, associated with all Lagrangian particle methods, often leads to large inaccuracies of the quantities. To simulate the compressible flow around solid obstacles of complex geometry, rSPH is coupled with




Figure 1: (a) The simplified model of a large two-stroke marine diesel engine, (b) A cross-sectional plane of the engine showing the solid geometry as a porous media using Brinkman penalization method, where the blue represent the flow area and red represent the solid area

Brinkman penalization method [4], the main advantage is the efficient implementation for stationary and moving solid boundaries. The idea of the penalization is to consider the obstacles as a porous media with porosity, and viscous permeability approaching zero [3] Fig. 1b.

The method has been validated on standard benchmarks and results from simulations of the decay of three dimensional isotropic turbulence Fig. 2 will be presented at the symposium.

All the simulations are done using the Parallel Particle Mesh (PPM) [6].




Figure 2: The present 3D remeshed smoothed particle hydrodynamic method is applied to decaying isotropic turbulence, here illustrated as contours of the initial flow speed [5].

References

- [1] A. Obeidat, T. Schnipper, K. M. Ingvorsen, S. Haider, K. E. Meyer: Large Eddy Simulations of the Influence of Piston Position on the Swirling Flow in a Model Two-Stroke Diesel Engine, *Int J Numer Meth Heat Fluid Flow*, to be published
- [2] A. K. Chaniotis, D. Poulikakos and P. Koumoutsakos: Remeshed smoothed particle hydrodynamics for the simulation of viscous and heat conducting flows, *J. Comput. Phys*, 182 (2002), 67–90.
- [3] Q. Liu and V. O. Vasilyev: A Brinkman penalization method for compressible flows in complex geometries, *J. Comput. Phys*, 227, 946–966, 2007.
- [4] M. Coquerelle and G.-H. Cottet: A vortex level set method for the two-way coupling of an incompressible fluid with colliding rigid bodies, *J. Comp. Phys.*, 227, 9121–9137, 2008.
- [5] Y. Li, E. Perlman, M. Wan, Y. Yang, R. Burns, C. Meneveau, R. Burns, S. Chen, A. Szalay and G. Eyink: A public turbulence database cluster and applications to study Lagrangian evolution of velocity increments in turbulence, *J. Turbulence*, 9 (31), 2008.
- [6] F. Sbalzarini, J. H. Walther, M. Bergdorf, S. E. Hieber, E. M. Kotsalis, and P. Koumoutsakos: PPM A Highly Efficient Parallel Particle-Mesh Library for the Simulation of Continuum Systems, *J. Comput. Phys*, 215(2):566-588, 2006
- [7] J. J. Monaghan: Extrapolating B splines for interpolation, *J. Comput. Phys.*, 60(2), 253–262, 1985.